CELL BIOLOGY

1. The biological discipline dealing with the study of cell organization is called:

- a) histology
- b) genetics
- c) <u>cytology</u>
- d) ornithology

2. The basic morphological and functional unit of living matter is:

- a) <u>cell</u>
- b) tissue
- c) individual
- d) population

3. An important component of hemoglobin is:

- a) magnesium
- b) potassium
- c) calcium
- d) <u>iron</u>

4. Which chemical bonds will the amino acids bind to form the polymer:

- a) phosphodiester
- b) <u>peptide</u>
- c) glycosidic
- d) hydrogen
- 5. Complex proteins:
 - a) consist of multiple polypeptide chains
 - b) are formed by fusing simple proteins with other non-protein molecules
 - c) are albumins
 - d) are globulins
- 6. Glycolipid composition includes:
 - a) fats and sugars
 - b) protein and sugars
 - c) fats and proteins
 - d) polysaccharides
- 7. Enzymes are by their chemical nature:
 - a) proteins
 - b) sugars
 - c) fats
 - d) nucleic acids
- 8. The enzymes that desompose fats are called:
 - a) nucleases
 - b) proteinases
 - c) lipases
 - d) ligases

- 9. The enzymes that decomposeproteins are called:
 - a) lipases
 - b) polymerases
 - c) glycosidases
 - d) proteinases
- 10. Mitochondria are centers of synthesis:
 - a) adenosine triphosphate
 - b) lipids and carbohydrates
 - c) lipids and proteins
 - d) proteins and carbohydrates
- 11. Viruses consist of:
 - a) DNK, RNK and proteins
 - b) DNK or RNK and proteins
 - c) DNK, ribosomes and proteins
 - d) RNK, ribosomes and proteins
- 12. The process of synthesis of complex organic compounds is simpler form of:
 - a) basal metabolism
 - b) catabolism
 - c) energy transport
 - d) <u>anabolism</u>
- 13. During anabolic biochemical reactions, energy is provided by the molecules:
 - a) AMP
 - b) FAD
 - c) <u>ATP</u>
 - d) NADP
- 14. Part of ATP is:
 - a) adenine
 - b) ribose
 - c) three phosphate groups
 - d) all the above components
- 15. The ability of cells to secrete their products is called:
 - a) respiration
 - b) absorption
 - c) proliferation
 - d) <u>secretion</u>
- 16. The specialized cells in the body receiving stimuli are:
 - a) effectors
 - b) receptors
 - c) muscular cells
 - d) glandular cells
- 17. The ability of a cell to respond to a stimulus by shortening the cell or part of it is called:
 - a) conductivity
 - b) proliferation
 - c) contactability
 - d) polarity

18. Catabolism is:

- a) uptake of substances into the cytoplasm
- b) the process of synthesis of complex compounds with the action of enzymes and energy consumption
- c) decomposition of complex compounds into simple ingredients with energy release
- d) the sum of all biochemical processes in the organism
- 19. Cell growth is:
 - a) the process of forming two equal cells out of one
 - b) process of proloferation
 - c) an increase in its size and volume
 - d) all the above processes
- 20. Some cells lose the ability to divide after birth, for example the cells of:
 - a) epidermis
 - b) intestinal epithelium
 - c) endocrine glands
 - d) nerve (cells)
- 21. The nucleus is present in all mammalian cells EXCEPT:
 - a) nerve cells
 - b) mature red blood cells
 - c) spermatozoa
 - d) certain embryonic cells
- 22. For muscle contraction essential are:
 - a) actin, myosin and tubulin
 - b) actin, tubulin and ATP
 - c) myosin and tubulin
 - d) actin, myosin and ATP
- 23. Which form of transport through the membrane requires energy:
 - a) free diffusion
 - b) facilitated diffusion
 - c) active transport
 - d) the answers under b) and c) are correct
- 24. The cells of which organisms most rapidly divide:
 - a) mammals
 - b) poikilothermic organisms
 - c) plants
 - d) <u>bacteria</u>
- 25. Carbon dioxide and water are the final decomposition products:
 - a) fat
 - b) carbohydrates
 - c) protein
 - d) all said organic molecules

BIOLOGY OF DEVELOPMENT

26. During mitosis, the following does NOT occur:

- a) enzyme synthesis
- b) chromosome condensation
- c) separation of centrosome
- d) disintegration of the nucleus membrane
- 27. Meiosis is a process characteristic of:
 - a) bacteria
 - b) formation of gametes
 - c) viruse replication
 - d) some Protozoa
- 28. Upon completion of I meiotic division, the human cell contains:
 - a) 23 pairs of homologous chromosomes
 - b) 46 chromosomes
 - c) 23 DNA molecules
 - d) <u>46 DNA molecules</u>

29. During mitosis, the following occurs:

- a) duplication of the number of chromosomes
- b) duplication of the amount of DNA
- c) duplication of centrioles
- d) synthesis of histones

30. Circle the correct statement:

- a) the number of chromosomes in a mature human sex cell is 46
- b) the number of chromosomes in a mature human sex cell is 23
- c) the number of chromosomes in a human somatic cell is 23
- d) the number of chromosomes in somatic cells is haploid
- 31. The seminal ducts of the testis do NOT contain:
 - a) Sertoli cells
 - b) spermatogonia
 - c) spermatocytes
 - d) follicular cells
- 32. Transformation of spermatids into spermatozoa occurs during:
 - a) spermiogenesis
 - b) mitotic divisions
 - c) I meiotic division
 - d) II meiotic division
- 33. The growth of follicles in the ovary is affected by:
 - a) luteinizing hormone
 - b) yellow body hormone
 - c) prolactin
 - d) folliculostimulating hormone

- 34. Cyclic maturation of gametes is in:
 - a) <u>female</u>
 - b) male
 - c) both female and male
 - d) in neither sex
- 35. Ectoderm forms:
 - a) nervous system
 - b) blood vessel system
 - c) heart
 - d) skeleton
- 36. The first embryonic bandage around an embryo is:
 - a) chorion
 - b) <u>amnion</u>
 - c) allantois
 - d) yolk sac
- 37. Amnion consists of:
 - a) ectoderm and mesoderm
 - b) ectoderm
 - c) endoderm
 - d) mesoderm and endoderm
- 38. Amnion contains:
 - a) endoderm on the inside and mesoderm on the outside
 - b) mesoderm on the inside and ectoderm on the outside
 - c) ectoderm on the inside and mesoderm on the outside
 - d) endoderm on the inside and ectoderm on the outside
- 39. Horion consists of:
 - a) endoderm
 - b) mesoderma
 - c) ectoderm and mesoderma
 - d) mesoderm and endoderm
- 40. The following develops from the epidermis:
 - a) spinal cord
 - b) parts of the brain
 - c) <u>cornea</u>
 - d) liver
- 41. The following develops from the endoderm:
 - a) senses
 - b) pancreas and liver
 - c) skin glands
 - d) muscles
- 42. The following develops from the mezsderm:
 - a) intestines
 - b) skin glands
 - c) lungs
 - d) testicles

- 43. In an adult organism, ability to proliferate is lost in cells of:
 - a) heart
 - b) <u>brain</u>
 - c) kidney
 - d) liver
- 44. Estrogen is a hormone:
 - a) of oocytes
 - b) of ovarian membrane
 - c) of ovarian follicle cell
- d) secreted by all the ovarian cellular elements
- 45. The early gastrula contains:
 - a) endoderm cells
 - b) ectoderm cells
 - c) cells from which the mesoderm is formed
 - d) all the cells listed
- 46. Embryonic inductions begin in:
 - a) morula
 - b) blastula
 - c) <u>gastrula</u>
 - d) neurula
- 47. Gastrula:
 - a) has a single germ layers
 - b) has not germ layers
 - c) has three germ layers
 - d) has four germ layers
- 48. Blastodisc is:
 - a) blastula in birds
 - b) part of the blastula around the blastopore
 - c) one of the germ layers
 - d) blastula in insects
- 49. Maturation of spermatozoa takes place in:
 - a) the epididymis ducts and the female reproductive tract
 - b) seminal ducts
 - c) testicle
 - d) during spermiogenesis
- 50. From mesoderm the following is formed:
 - a) nervous system
 - b) intestinal system
 - c) <u>muscular system</u>
 - d) liver

BASICS OF MOLECULAR BIOLOGY

- 51. Genetic information consists of:
 - a) amino acid sequence
 - b) ribonucleotide sequence
 - c) deoxyribonucleotide sequence
 - d) pentose sequence
- 52. The primary products of genes are:
 - a) amino acids
 - b) ribonucleotides
 - c) polypeptides
 - d) ribonucleic acids
- 53. In the process of transcription the following is developed:
 - a) mRNA
 - b) tRNA
 - c) rRNA
 - d) all three types of RNA
- 54. The codons are found in:
 - a) <u>mRNA</u>
 - b) rRNA
 - c) tRNA
 - d) all types of RNA
- 55. A genetic code or genetic password is carried by:
 - a) <u>DNA</u>
 - b) mRNA
 - c) rRNA
 - d) tRNA

56. Changes in the genetic basis at the nucleotide level are called:

- a) modifications
- b) pleiotropies
- c) gene mutations
- d) epistasis
- 57. During development, genetic activity is affected by:
 - a) humidity
 - b) nutrition
 - c) acidity of the environment
 - d) all of the above factors
- 58. Which of the following properties are significantly influenced by environmental factors?:
 - a) body size
 - b) number of teeth
 - c) eye colour
 - d) number of vertebrae

- 59. Which of the following properties are little affected by environmental factors?:
 - a) shape of some part of the body
 - b) body size
 - c) eye colour
 - d) speed of development
- 60. Which of the following is a qualitative characteristic?:
 - a) number od fingers
 - b) number of teeth
 - c) number of vertebrae
 - d) shape of some part of the body
- 61. Which of the following is a quantitative characteristic?:
 - a) body size
 - b) speed of development
 - c) number of teeth
 - d) skin colour
- 62. What is the difference between the DNA chain and the RNA chain:
 - a) in sugar
 - b) in the base
 - c) in length
 - d) in all three components
- 63. Which process is based on the principle of complementarity:
 - a) replication
 - b) transcription
 - c) translation
 - d) all statements are correct
- 64. Protein composition includes:
 - a) amino acids
 - b) phosphoric acid
 - c) nitric acid
 - d) fatty acids
- 65. The complementarity of chains in a DNA molecule is present:
 - a) only in eukaryotes
 - b) only in single-celled eukaryotic and prokaryotic organisms
 - c) in all living organisms
 - d) in a large number of segments of DNA molecules
- 66. How many basic types of nucleic acids exist in the living world?:
 - a) <u>two</u>
 - b) three
 - c) four
 - d) five
- 67. Genetic code:
 - a) varies from organism to organism
 - b) is the same for all individuals within one species
 - c) is the same for all eukaryotes and prokaryotes

- d) it is the same for all eukaryotes, prokaryotes and viruses
- 68. What does regulatory gene mean?:
 - a) It is the gene regulating the activity of all genes in one cell
 - b) It is the gene regulating the activity of a structural gene
 - c) It is the gene regulating translation
 - d) It is the gene controling cell cycle
- 69. Phenotype means:
 - a) the visible characteristics of an organism
 - b) the molecular structure of the cell
 - c) the ability of an organism to perform certain biological functions
 - d) All statements are correct
- 70. The phenotype results from:
 - a) the cooperation of all the genes in one cell
 - b) genotype-environment interaction
 - c) inheritance of the parental phenotype
 - d) All statements are correct
- 71. What is a structural gene?:
 - a) It is the gene that provides a double-chain DNA structure
 - b) It is a portion of DNA that allows the activity of other genes
 - c) It is a portion of DNA that contains instructions for the synthesis of one polypeptide
 - d) All of the above is true
- 72. What determines the order of amino acids in a polypeptide?:
 - a) the sequence of groups of 4 nucleotides in DNA molecule
 - b) the sequence of the dinucleotides in DNA
 - c) the sequence of the nucleotide triplet in DNA
 - d) all answers are correct
- 73. The DNA structure model was explained by:
 - a) Jacob and Monod
 - b) Watson and Crick
 - c) McLeod and McCarty
 - d) Avery and Chargaff
- 74. A peptide bond is formed between:
 - a) two polypeptide chains
 - b) two amino acids
 - c) polypeptides and oligosaccharides
 - d) lipid and protein
- 75. Each tRNA recognizes:
 - a) only a specific amino acid
 - b) two similar amino acids
 - c) at least three amino acids
 - d) several different amino acids

INHERITANCE MECHANISMS

- 76. Genome is a term meaning:
 - a) set of genes in gametes
 - b) set of genes that form all the chromosomes in the nucleus
 - c) set of genes on one chromosome
 - d) set of regulatory genes in eukaryotes
- 77. The weakest mutagenic effect is caused by:
 - a) ultraviolet radiation
 - b) X-radiation
 - c) electron radiation
 - d) all the above-mentioned radiation exhibits an equal mutagenic effect
- 78. Deviant behaviors:
 - a) are always conditioned by chromosome aberrations
 - b) depend solely on the environmental factors
 - c) are under polygenic contro
 - d) all answers are correct
- 79. Circle the correct statement:
 - a) all eukaryotic genes mutate spontaneously at the same rate
 - b) Turner's syndrome results from a defective DNA repair mechanism
 - c) car exhaust gases are very harmful mutagenes
 - d) in some people, the light of the visible spectrum leads to mutations
- 80. Human chromosomes differ in:
 - a) size

c)

c)

- b) centromere position and size
- gene size and content
- d) size, centromere position and gene content
- 81. Two more X-chromosomes in a man:
 - a) have letalan efekat
 - b) causes infertility
 - leads to mental retardation
 - d) causes infertility and leads to mental retardation
- 82. Which of the following disorders is the result of an unbalanced translocation:
 - a) Down's syndrome
 - b) astigmatism
 - c) alkaptonuria
 - d) Turner's syndrome
- 83. The following is autosomal dominantlyinherited:
 - a) albinism
 - b) alkaptonuria
 - c) syndactylia
 - d) daltonism

- 84. Klinefelter syndrome is a consequence of:
 - a) mutations on the X-chromosome
 - b) excess of autosomes
 - c) <u>X-chromosome aneuploidy</u>
 - d) excess of X or Y chromosomes
- 85. Which of the following factors can transform a normal cell into a malignant:
 - a) chemical substances
 - b) ionizing radiation
 - c) viruses
 - d) all of the above factors
- 86. The first cousins are in:
 - a) the first degree of kinship
 - b) the second degree of kinship
 - c) the fourth degree of kinship
 - d) the third degree of kinship
- 87. At the birth of a female child with daltonism, it can be surely stated that:
 - a) the mother is the daltonist, the father is of normal vision
 - b) the father is the daltonist, the mother is of normal vision
 - c) the mother is the carrier, the father is the daltonist
 - d) both mother and father are normal
- 88. Hemophilia is a disease:
 - a) related to mutation on 21th chromosome
 - b) predominantly inherited
 - c) which sons always inherit from their father
 - d) linked to the X chromosome
- 89. As a result of a gene mutation, the following occurs:
 - a) sickle cell anemia
 - b) cystic fibrosis
 - c) both of the mentioned diseases
 - d) none of the mentioned diseases
- 90. Barr's body is:

c)

- a) type of antibody
- b) organelle for movement in protozoa
 - inactive X-chromosome
 - d) part of the chromosome near the centromere
- 91. In what hereditary disorder can the cause be either structural or numerical chromosome aberration?:
 - a) in the case of manic-depressive psychosis
 - b) dwarfism
 - c) Down's syndrome
 - d) Edwards' syndrome

- 92. The highest sensitivity to ionizing radiation is recorded in:
 - a) bacteria
 - b) protozoa
 - c) insects
 - d) <u>mammals</u>
- 93. Mental illnesses can be:
 - a) conditioned by numerical and structural aberrations of chromosomes
 - b) under polygenic control
 - c) conditioned by gene mutations
 - d) all statements are correcti
- 94. The appearance of mosaicism in the phenotypic appearance of an organism is related to:
 - a) micromutations
 - b) macromutations
 - c) somatic mutations
 - d) reverzsible mutations
- 95. It can certainly be expected that the son will inherit from his father the following:
 - a) hemophilia
 - b) hairy ears
 - c) hemophilia andhairy ears
 - a) no answer is correct
- 96. B blood type woman received a child of 0 blood type. The child's father may have:
 - a) any blood type
 - b) only the same blood type as the child
 - c) B, 0 or A blood types
 - d) B or 0 blood types
- 97. When parents have children with AB and 0 blood types, it can be concluded that they are:
 - a) heterozygotes with different blood types
 - b) any blood type
 - c) homozygotes with different blood types
 - d) one homozygote, another heterozygote with different blood types
- 98. Aneuploidies of acrocentric chromosomes cause:
 - a) Edwards' syndrome
 - b) Down's and Patau's syndromes
 - c) Down's and Edwards' syndromes
 - d) Down's syndrome
- 99. When a daltonist son is born from the marriage of normal parents, it can be concluded that the disorder is inherited:
 - a) from the mother's or father's father
 - b) from one of father's parents
 - c) from father's father
 - d) from one of mother's parents
- 100. Amniocentesis is used to detect hereditary disorders in:
 - a) embryos up to three months old
 - b) blastocysts
 - c) a fetus about 16 weeks old
 - d) newborns